



PYBUTHRIN 33

Version 4 / GB
10200001390

1/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name PYBUTHRIN 33
Product code (UVP) 05937876

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone 00800-1214 9451
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)
+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xi Irritant, R38
N Dangerous for the environment, R50/53
Xn Harmful, R65

2.2 Label elements

Labelling according to specific UK regulations:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'. Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Pyrethrins including cinerins
- Piperonyl butoxide
- Distillates (petroleum), hydrotreated light

Symbol(s)

Xn
N

Harmful
Dangerous for the environment



PYBUTHRIN 33

Version 4 / GB
102000001390

2/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

R-phrases(s)

R38	Irritating to skin.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
To avoid risks to man and the environment, comply with the instructions for use.	
Contains pyrethrins including cinerins. May produce an allergic reaction.	

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Ultra-low volume (ULV) liquid (UL)
Pyrethrins/Piperonyl Butoxide 3:30 g/l

Hazardous components

R-phrases(s) according to EC directive 67/548/EEC
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Concentration [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Pyrethrins including cinerins	8003-34-7 232-319-8	Xn; R20/21/22 Xi; R43 N; R50/53	Acute Tox. 4, H332 Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.38
Piperonyl butoxide	51-03-6 200-076-7	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.40
Distillates (petroleum), hydrotreated light	64742-47-8 265-149-8	Xn; R65 R66	Asp. Tox. 1, H304	> 10.00

Further information

Pyrethrins including cinerins	8003-34-7	M-Factor: 10 (acute)
Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.



PYBUTHRIN 33

Version 4 / GB
102000001390

3/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.

Skin contact

In case of skin contact, immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

Ingestion

Keep at rest. Rinse mouth. Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing
Systemic: Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy

4.3 Indication of any immediate medical attention and special treatment needed

Risks

This product contains a pyrethrin.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Treatment

Local treatment:
Initial treatment: symptomatic.

Treatment

Systemic treatment:
Initial treatment: symptomatic.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.
Keep respiratory tract clear.
Oxygen or artificial respiration if needed.
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
If not effective, phenobarbital may be used.



PYBUTHRIN 33

Version 4 / GB
102000001390

4/12

Revision Date: 12.10.2012

Print Date: 28.05.2013

Contraindication: atropine.
Contraindication: derivatives of adrenaline.
There is no specific antidote.
Recovery is spontaneous and without sequelae.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.

Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Keep people away from and upwind of spill/leak.

Avoid contact with spilled product or contaminated surfaces.

When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

If spillage enters drains leading to sewage works inform local water company immediately.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Clean floors and contaminated objects with plenty of water.

Additional advice

Check also for any local site procedures.

6.4 Reference to other sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

**PYBUTHRIN 33**Version 4 / GB
102000001390

5/12

Revision Date: 12.10.2012

Print Date: 28.05.2013

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling****Advice on safe handling**

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Ensure adequate ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Vapours may form explosive mixture with air.

Take measures to prevent the build up of electrostatic charge.

Use only explosion-proof equipment.

Hygiene measures

When using, do not eat, drink or smoke.

Remove soiled clothing immediately and clean thoroughly before using again.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage areas and containers**

Store in a place accessible by authorized persons only.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from direct sunlight.

Protect from freezing.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Black mild steel sheet with interior coating

7.3 Specific end uses

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
Pyrethrins including cinerins	8003-34-7	5 mg/m ³ (TWA)		OES BCS*
Pyrethrins including cinerins	8003-34-7	1 mg/m ³ (TWA)	12 2011	EH40 WEL
Pyrethrins including cinerins	8003-34-7	1 mg/m ³ (TWA)	12 2009	EU ELV



PYBUTHRIN 33

Version 4 / GB
102000001390

6/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Additional advice

Observe: Exposure Limits In Air, Gp1: 1000mg/m³ / 200 ppm (aromatic-free or de-aromatised hydrocarbon mixes with < 1% aromatics < 5% n-hexane, < 25% cyclo/Isohexane TRGS 901 No. 72).

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless to light yellow
Flash point	ca. 65 °C



PYBUTHRIN 33

Version 4 / GB
102000001390

7/12

Revision Date: 12.10.2012

Print Date: 28.05.2013

Ignition temperature	230 °C The data refer to the solvent.
Upper explosion limit	13.00 %(V) The data refer to the solvent.
Lower explosion limit	0.60 %(V) The data refer to the solvent.
Relative vapour density	4.5 The data refer to the solvent.
Density	ca. 0.81 g/cm ³ at 20 °C
Water solubility	insoluble
Viscosity, kinematic	1.77 mm ² /s at 40 °C
Surface tension	24.9 mN/m at 40 °C

9.2 Other information

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid

Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Store only in the original container.

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,000 mg/kg
Test conducted with a similar formulation.



PYBUTHRIN 33

Version 4 / GB
102000001390

8/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

Acute inhalation toxicity	LC50 (rat) > 5.10 mg/l Exposure time: 4 h Test conducted with a similar formulation.
Acute dermal toxicity	LD50 (rat) > 4,000 mg/kg Test conducted with a similar formulation.
Skin irritation	Irritating to skin. (rabbit)
Eye irritation	Slight irritant effect - does not require labelling. (rabbit)
Sensitisation	Non-sensitizing. The information is derived from the properties of the individual components.

Assessment repeated dose toxicity

Pyrethrin caused neurobehavioral effects and/or neuropathological changes in animal studies.

Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Pyrethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Pyrethrin was not carcinogenic in lifetime feeding studies in rats and mice.

Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment Toxicity to Reproduction

Pyrethrin did not cause reproductive toxicity in a two-generation study in rats.

Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrethrin did not cause developmental toxicity in rats and rabbits.

Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae.

However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0052 mg/l
Exposure time: 96 h

The value mentioned relates to the active ingredient pyrethrin.



PYBUTHRIN 33

Version 4 / GB
102000001390

9/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

LC50 (Cyprinodon variegatus (sheepshead minnow)) 3.94 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient piperonyl butoxide.

Toxicity to aquatic invertebrates

EC50 (Daphnia) 0.012 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient pyrethrin.

EC50 (Water flea (Daphnia magna)) 0.51 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient piperonyl butoxide.

12.2 Persistence and degradability

Biodegradability Not applicable for this mixture.

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 471
The value mentioned relates to the active ingredient pyrethrin.

Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 260
The value mentioned relates to the active ingredient piperonyl butoxide.

12.4 Mobility in soil

Mobility in soil Not applicable for this mixture.

12.5 Results of PBT and vPvB assessment

Not relevant as no chemical safety report is necessary.

12.6 Other adverse effects

Additional ecological information
No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



PYBUTHRIN 33

Version 4 / GB
102000001390

10/12

Revision Date: 12.10.2012
Print Date: 28.05.2013

Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Empty remaining contents.

Do not use containers for other products.

Clean container with water.

Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations.

Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3082
----------------	-------------



PYBUTHRIN 33

Version 4 / GB
102000001390

11/12

Revision Date: 12.10.2012

Print Date: 28.05.2013

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRETHRINS SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or



PYBUTHRIN 33

Version 4 / GB
102000001390

12/12

Revision Date: 12.10.2012

Print Date: 28.05.2013

policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.